


Packing Quantity

Package	Manner of packing	Qty per inner tube	Qty per inner box	Qty per Carton
TO-220	tube	50	1000	5000

Note 1: These are minimum package quantities only. Minimum orders will differ. Contact the factory for more information on minimum order quantities.


Note 2: GOFORD Tape&reel products meets EIA-481 REV D specification.

Device Tape orientation Start and Finish Specification

Package	Tube Orientation
TO-220	


Dimensions

Tube Size




Description	Dimension	Specification(mm typical)
Length	L	536±2.0
Width	W	34
Height	H	8.7

Inbox size



Description	Dimension	Specification(mm typical)
Length	L	570
Width	W	150
Height	H	50

Carton size



Description	Dimension	Specification(mm typical)
Length	L	590
Width	W	280
Height	H	170


Packing Quantity

Package	Manner of packing	Qty per inner tube	Qty per inner box	Qty per Carton
TO-220	tube	50	1000	6000

Note 1: These are minimum package quantities only. Minimum orders will differ. Contact the factory for more information on minimum order quantities.


Note 2: GOFORD Tape&reel products meets EIA-481 REV D specification.

Device Tape orientation Start and Finish Specification

Package	Tube Orientation
TO-220	


Dimensions

Tube Size




Description	Dimension	Specification(mm typical)
Length	L	530±1.0
Width	W	33±0.1
Height	H	7±0.1

Inbox size



Description	Dimension	Specification(mm typical)
Length	L	548
Width	W	110
Height	H	75

Carton size



Description	Dimension	Specification(mm typical)
Length	L	565
Width	W	255
Height	H	255


Packing Quantity

Package	Manner of packing	Qty per inner tube	Qty per inner box	Qty per Carton
TO-220	tube	50	1000	5000

Note 1: These are minimum package quantities only. Minimum orders will differ. Contact the factory for more information on minimum order quantities.


Note 2: GOFORD Tape&reel products meets EIA-481 REV D specification.

Device Tape orientation Start and Finish Specification

Package	Tube Orientation
TO-220	


Dimensions

Tube Size




Description	Dimension	Specification(mm typical)
Length	L	536±1.0
Width	W	33±0.2
Height	H	7±0.2

Inbox size



Description	Dimension	Specification(mm typical)
Length	L	570
Width	W	164
Height	H	45

Carton size



Description	Dimension	Specification(mm typical)
Length	L	591
Width	W	248
Height	H	188


Packing Quantity

Package	Manner of packing	Qty per inner tube	Qty per inner box	Qty per Carton
TO-220	tube	50	1000	5000

Note 1: These are minimum package quantities only. Minimum orders will differ. Contact the factory for more information on minimum order quantities.


Note 2: GOFORD Tape&reel products meets EIA-481 REV D specification.

Device Tape orientation Start and Finish Specification

Package	Tube Orientation
TO-220	


Dimensions

Tube Size




Description	Dimension	Specification(mm typical)
Length	L	528
Width	W	33
Height	H	6.85

Inbox size



Description	Dimension	Specification(mm typical)
Length	L	552
Width	W	156
Height	H	43

Carton size



Description	Dimension	Specification(mm typical)
Length	L	572
Width	W	240
Height	H	176