


Packing Quantity

Package	Manner of packing	Qty per inner tube	Qty tube /inner box	Qty per inner box	Qty per Carton
TO-247	tube	25	16	400	1200

Note 1: These are minimum package quantities only. Minimum orders will differ. Contact the factory for more information on minimum order quantities.


Note 2: GOFORD Tape&reel products meets EIA-481 REV D specification.

Device Tape orientation Start and Finish Specification

Package	Tube Orientation
TO-247	


Dimensions

Tube Size




Description	Dimension	Specification(mm typical)
Length	L	417±1.0
Width	W	44.9±0.1
Height	H	7.5±0.1

Inbox size



Description	Dimension	Specification(mm typical)
Length	L	445
Width	W	116
Height	H	73

Carton size



Description	Dimension	Specification(mm typical)
Length	L	480
Width	W	130
Height	H	245


Packing Quantity

Package	Manner of packing	Qty per inner tube	Qty tube /inner box	Qty per inner box	Qty per Carton
TO-247	tube	30	15	450	2250

Note 1: These are minimum package quantities only. Minimum orders will differ. Contact the factory for more information on minimum order quantities.


Note 2: GOFORD Tape&reel products meets EIA-481 REV D specification.

Device Tape orientation Start and Finish Specification

Package	Tube Orientation
TO-247	


Dimensions

Tube Size




Description	Dimension	Specification(mm typical)
Length	L	520±1.0
Width	W	46
Height	H	7.7

Inbox size



Description	Dimension	Specification(mm typical)
Length	L	565
Width	W	150
Height	H	50

Carton size



Description	Dimension	Specification(mm typical)
Length	L	590
Width	W	300
Height	H	170


Packing Quantity

Package	Manner of packing	Qty per inner tube	Qty tube /inner box	Qty per inner box	Qty per Carton
TO-247	tube	30	11	330	1980

Note 1: These are minimum package quantities only. Minimum orders will differ. Contact the factory for more information on minimum order quantities.


Note 2: GOFORD Tape&reel products meets EIA-481 REV D specification.

Device Tape orientation Start and Finish Specification

Package	Tube Orientation
TO-247	


Dimensions

Tube Size




Description	Dimension	Specification(mm typical)
Length	L	520±1.0
Width	W	46±0.3
Height	H	7.7+0.1/-0.2

Inbox size



Description	Dimension	Specification(mm typical)
Length	L	538
Width	W	100
Height	H	57

Carton size



Description	Dimension	Specification(mm typical)
Length	L	560
Width	W	227
Height	H	209


Packing Quantity

Package	Manner of packing	Qty per inner tube	Qty tube /inner box	Qty per inner box	Qty per Carton
TO-247	tube	25	12	300	1800

Note 1: These are minimum package quantities only. Minimum orders will differ. Contact the factory for more information on minimum order quantities.


Note 2: GOFORD Tape&reel products meets EIA-481 REV D specification.

Device Tape orientation Start and Finish Specification

Package	Tube Orientation
TO-247	


Dimensions

Tube Size




Description	Dimension	Specification(mm typical)
Length	L	533±1.0
Width	W	44.9±0.2
Height	H	7.5±0.2

Inbox size



Description	Dimension	Specification(mm typical)
Length	L	460
Width	W	100
Height	H	55

Carton size



Description	Dimension	Specification(mm typical)
Length	L	475
Width	W	365
Height	H	115